References

[1] Ya. Ya. Balitsky and L.N. Lipatov, Sov. J. Nucl.Phys. 28 (1978) 822.

[2] E.A. Kuraev, L.N. Lipatov and V.S. Fadin, Sov.Phys. JETP 45 (1977) 199.

[3] L.N. Lipatov, Sov. Phys. JETP 63 (1986) 904.

[4] V.S. Fadin and L.N. Lipatov, Yad. Fiz. 50 (1989) 1141, Durham Preprint DTP/93/08 (1993).

[5] L.N. Lipatov, Nucl. Phys. B365 (1991) 614.

[6] J. Bartels, Phys. Lett. B298 (1993) 204; DESY preprint, DESY 93-028.

[7] B. Webber and G. Marchesini, Nucl. Phys. B238 (1984) 1.

[8] B. Andersson, G. Gustafson, A. Nilsson and C. Sjögren, Z. Phys. C, 49 (1991) 79.

[9] See, for example, "Basics of Perturbative QCD," Yu.L. Dokshitzer, V.A. Khoze, A.H. Mueller and S.I. Troyan, Editions Frontieres, Gif-sur-Yvette (1991).

[10] S. Catani, M. Ciafaloni and F. Hautmann, Nucl. Phys. B366 (1991) 135.

[11] J.C. Collins and R.K. Ellis, Nucl. Phys. B360 (1991) 3.

[12] See, for example, page 383 of "A Course of Modern Analysis," E.T. Whittaker and G.N. Watson, Cambridge University Press, London.



Fig 1



Fig 2



Fig 3





A B

Fig 5