

DESY SR-74/5
May 1974

Photoemission from Solid Neon

by

DESY-Bibliothek
16. JULI 1974

E. E. Koch, V. Saile, N. Schwentner, and M. Skibowski
Sektion Physik der Universität München

2 HAMBURG 52 · NOTKESTIEG 1

References

1. R. Haensel, G. Keitel, E.E. Koch, N. Kosuch, and M. Skibowski, Phys.Rev. Letters 25, 1281 (1970)
2. E. Boursey, J.-Y. Roncin, and H. Damany, Phys.Rev. Letters 25, 1279 (1970)
3. N. Schwentner, M. Skibowski, and W. Steinmann, Phys.Rev. B8, 2965 (1973)
4. E.E. Koch, B. Raz, V. Saile, N. Schwentner, M. Skibowski, and W. Steinmann, DESY-report SR-73/11 (1973), to be published in Jap. Journal Appl.Phys. (1974)
5. B. Raz and J. Jortner, Chem.Phys. Letters 9, 222 (1971),
Chem.Phys. Letters 4, 155 (1969)
6. J. Jortner, Berichte der Bunsen-Gesellschaft für physikalische Chemie Vol. 75, 696 (1971) and references therein
7. L.E. Lyons and M.G. Sceats, Chem.Phys. Letters 6, 217 (1970)
8. E.O. Kane, Phys.Rev. 127, 131 (1962)
9. J.M. Ballantyne, Phys.Rev. B6, 1436 (1972)
10. W.B. Fowler, Phys.Rev. 151, 657 (1966)
11. A.B. Kunz, Phys.Rev. B6, 606 (1972)
12. A.B. Kunz and D.J. Mickish, Phys.Rev. B8, 779 (1973)
13. B. Raz, J. Jortner, V. Saile, N. Schwentner, E.E. Koch, M. Skibowski, and W. Steinmann, to be published

Figure Captions

Fig. 1 Photoelectric yield of solid Neon films in the region of excitonic and continuum transitions from the 2p-valence band for three different thicknesses $d_1 < d_2 < d_3$. Positions of the excitons 1-4, of the first resonance of the free atom, and of the surface resonance are included.



